


BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal height (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW8-5	5	M5		5	12.0	100
SW8-10	10	M5		10	12.0	100
SW10-6	6	M6		6	15.0	100
SW10-11	11	M6		11	15.0	100
SW10-16	16	M6		16	15.0	100
SW10-34	34	M6		34	15.0	100
SW12-7	7			7	17.7	100
SW13-8	8	M8	1/4"	8	18.5	100
SW13-13	13	M8	1/4"	13	18.5	100
SW13-18	18	M8	1/4"	18	18.5	100
SW13-27	27	M8	1/4"	27	18.5	100
SW17-10	10	M10	3/8"	10	23.5	100
SW17-15	15	M10	3/8"	15	23.5	100
SW17-20	20	M10	3/8"	20	23.5	100
SW17-24	24	M10	3/8"	24	23.5	100
SW17-29	29	M10	3/8"	29	23.5	100
SW17-45	45	M10	3/8"	45	23.5	100
SW19-12	12	M12	7/16"	12	26.1	100
SW19-17	17	M12	7/16"	17	26.1	100
SW19-22	22	M12	7/16"	22	26.1	100
SW19-27	27	M12	7/16"	27	26.1	100
SW19-37	37	M12	7/16"	37	26.1	100
SW19-50	50	M12	7/16"	50	26.1	100



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal height (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW22-11	11	M14	1/2"	11	29.0	50
SW22-14	14	M14	1/2"	14	30.3	50
SW22-35	35	M14	1/2"	35	30.3	50
SW22-40T	40 telescopic	M14	1/2"	40	30.3	50
SW22-44	44	M14	1/2"	44	30.3	50
SW22-51T	51 telescopic	M14	1/2"	51	30.3	50
SW22-60T	60 telescopic	M14	1/2"	60	30.3	50
SW22-64	64	M14	1/2"	64	30.3	50
SW22-77T	77 telescopic	M14	1/2"	77	30.3	50
SW22-87T	87 telescopic	M14	1/2"	87	30.3	50
SW24-11	11	M16	9/16"	11	32.3	25
SW24-21	21	M16	9/16"	21	32.3	25
SW24-26	26	M16	9/16"	26	32.3	25
SW24-31	31	M16	9/16"	31	32.3	25
SW24-41	41	M16	9/16"	41	32.3	25
SW24-41T	41 telescopic	M16	9/16"	41	32.3	25
SW24-51	51 telescopic	M16	9/16"	51	32.3	25
SW24-62T	62 telescopic	M16	9/16"	62	32.3	25
SW24-66T	66 telescopic	M16	9/16"	66	32.3	25
SW24-70T	70 telescopic	M16	9/16"	70	32.3	10
SW24-87T	87 telescopic	M16	9/16"	87	32.3	25
SW27-23	23	M18	5/8"	23	36.9	10
SW27-30	30	M18	5/8"	30	36.9	10



Telescopic design



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal heigth (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW27-38	38	M18	5/8"	38	36.9	10
SW27-48T	48 telescopic	M18	5/8"	48	36.9	10
SW27-53T	53 telescopic	M18	5/8"	53	36.9	10
SW27-63T	63 telescopic	M18	5/8"	63	36.9	10
SW27-76T	76 telescopic	M18	5/8"	76	36.9	10
SW30-14	14	M20		14	40.4	10
SW30-24	24	M20		24	40.4	10
SW30-28	28	M20		28	40.4	10
SW30-34	34	M20		34	40.4	10
SW30-39	39	M20		39	40.4	10
SW30-47	47	M20		47	40.4	10
SW30-67T	67 telescopic	M20		67	40.4	10
SW30-79	79	M20		79	40.4	10
SW30-90T	90 telescopic	M20		90	40.4	10
SW30-92T	92 telescopic	M20		92	40.4	10
SW30-109T	109 telescopic	M20		109	40.4	10
SW30-120	120	M20		120	40.4	10
SW30-175T	175 telescopic	M20		175	40.4	10
SW32-27	27	M22	3/4"	27	42.1	10
SW32-37	37	M22	3/4"	37	42.1	10
SW32-70T	70 telescopic	M22	3/4"	70	42.1	10
SW32-95T	95 telescopic	M22	3/4"	95	42.1	10
SW36-28	28	M24	7/8"	28	47.2	10



Telescopic design



3



P.O. box 200
NL-5750AE, Deurne



Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal heigth (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW36-33	33	M24	7/8"	33	47.2	10
SW36-38	38	M24	7/8"	38	47.2	10
SW36-43	43	M24	7/8"	43	47.2	10
SW36-52	52	M24	7/8"	52	47.2	10
SW36-69T	69 telescopic	M24	7/8"	69	47.2	10
SW36-73	73	M24	7/8"	73	47.2	10
SW36-88T	88 telescopic	M24	7/8"	88	47.2	10
SW36-99T	99 telescopic	M24	7/8"	99	47.2	10
SW36-117T	117 telescopic	M24	7/8"	117	47.2	10
SW36-145T	145 telescopic	M24	7/8"	145	47.2	1
SW41-31	31	M27	1"	31	53.4	1
SW41-41	41	M27	1"	41	53.4	1
SW41-46	46	M27	1"	46	53.4	1
SW41-51	51	M27	1"	51	53.4	1
SW41-66T	66 telescopic	M27	1"	66	53.4	1
SW41-69T	69 telescopic	M27	1"	69	53.4	1
SW41-76	76	M27	1"	76	53.4	1
SW41-98T	98 telescopic	M27	1"	98	53.4	1
SW41-101T	101 telescopic	M27	1"	101	53.4	1
SW41-115T	115 telescopic	M27	1"	115	53.4	1
SW41-150T	150 telescopic	M27	1"	150	53.4	1
SW46-34	34	M30	1-1/8"	34	59.5	1
SW46-44	44	M30	1-1/8"	44	59.5	1



Telescopic design



P.O. box 200
NL-5750AE, Deurne



Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal heigth (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW46-49	49	M30	1-1/8"	49	59.5	1
SW46-79	79	M30	1-1/8"	79	59.5	1
SW46-83T	83 telescopic	M30	1-1/8"	83	59.5	1
SW46-92T	92 telescopic	M30	1-1/8"	92	59.5	1
SW46-112T	112 telescopic	M30	1-1/8"	112	59.5	1
SW46-121T	121 telescopic	M30	1-1/8"	121	59.5	1
SW46-144	144	M30	1-1/8"	144	59.5	1
SW46-150T	150 telescopic	M30	1-1/8"	150	59.5	1
SW46-185T	185 telescopic	M30	1-1/8"	185	59.5	1
SW46-221T	212 telescopic	M30	1-1/8"	221	59.5	1
SW46-256T	256 telescopic	M30	1-1/8"	256	59.5	1
SW50-51	51	M33	1-1/4"	51	64.2	1
SW50-81	81	M33	1-1/4"	81	64.2	1
SW50-83T	83 telescopic	M33	1-1/4"	83	64.2	1
SW50-111T	111 telescopic	M33	1-1/4"	111	64.2	1
SW50-115T	115 telescopic	M33	1-1/4"	115	64.2	1
SW50-144T	144 telescopic	M33	1-1/4"	144	64.2	1
SW55-55	55	M36	1-3/8"	55	70.2	1
SW55-85	85	M36	1-3/8"	85	70.2	1
SW55-92T	92 telescopic	M36	1-3/8"	92	70.2	1
SW55-101T	101 telescopic	M36	1-3/8"	101	70.2	1
SW55-120T	120 telescopic	M36	1-3/8"	120	70.2	1
SW55-121T	121 telescopic	M36	1-3/8"	121	70.2	1



Telescopic design



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal heigth (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW55-149T	149 telescopic	M36	1-3/8"	149	70.2	1
SW55-155	155	M36	1-3/8"	155	70.2	1
SW55-192T	192 telescopic	M36	1-3/8"	192	70.2	1
SW55-201T	201 telescopic	M36	1-3/8"	201	70.2	1
SW55-255T	255 telescopic	M36	1-3/8"	225	70.2	1
SW60-57	57	M39	1-1/2"	57	78.6	1
SW60-87	87	M39	1-1/2"	87	78.6	1
SW60-97T	97 telescopic	M36	1-1/2"	97	78.6	1
SW60-107	107	M39	1-1/2"	107	78.6	1
SW60-125T	125 telescopic	M39	1-1/2"	125	78.6	1
SW60-126T	126 telescopic	M39	1-1/2"	126	78.6	1
SW60-139T	139 telescopic	M39	1-1/2"	139	78.6	1
SW60-154	154 telescopic	M39	1-1/2"	154	78.6	1
SW65-61	61	M42	1-5/8"	61	84.8	1
SW65-91	91	M42	1-5/8"	91	84.8	1
SW65-100T	100 telescopic	M42	1-5/8"	100	84.8	1
SW65-123	123	M42	1-5/8"	123	84.8	1
SW65-128T	128 telescopic	M42	1-5/8"	128	84.8	1
SW65-129T	129 telescopic	M42	1-5/8"	129	84.8	1
SW65-145	145	M42	1-5/8"	145	94.0	1
SW65-158T	158 telescopic	M42	1-5/8"	158	84.8	1
SW55-191T	191 telescopic	M42	1-5/8"	191	84.8	1
SW70-63	63	M45	1-3/4"	63	90.9	1



Telescopic design



P.O. box 200
NL-5750AE, Deurne



Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal heigth (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW70-93	93	M45	1-3/4"	93	90.9	1
SW70-105T	105 telescopic	M45	1-3/4"	105	90.9	1
SW70-113	113	M45	1-3/4"	113	90.9	1
SW70-133T	133 telescopic	M45	1-3/4"	133	90.9	1
SW70-134T	134 telescopic	M45	1-3/4"	134	90.9	1
SW70-163T	163 telescopic	M45	1-3/4"	163	90.9	1
SW75-66	66	M48	1-7/8"	66	97.0	1
SW75-96	96	M48	1-7/8"	96	97.0	1
SW75-108T	108 telescopic	M48	1-7/8"	108	97.0	1
SW75-137T	137 telescopic	M48	1-7/8"	137	97.0	1
SW75-138T	138 telescopic	M48	1-7/8"	138	97.0	1
SW75-166T	166 telescopic	M48	1-7/8"	166	97.0	1
SW75-230T	230 telescopic	M48	1-7/8"	230	97.0	1
SW80-70	70	M52	2"	70	105.0	1
SW80-114T	114 telescopic	M52	2"	114	105.0	1
SW80-130	130	M52	2"	130	105.0	1
SW80-142T	142 telescopic	M52	2"	142	105.0	1
SW80-171T	171 telescopic	M52	2"	171	105.0	1
SW80-201T	201 telescopic	M52	2"	201	105.0	1
SW85-74	74	M56		74	109.0	1
SW85-122T	122 telescopic	M56		122	109.0	1
SW85-134	134	M56		134	109.0	1
SW85-150T	150 telescopic	M56		150	109.0	1



Telescopic design



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal heigth (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW85-179T	179 telescopic	M56		179	109.0	1
SW85-209T	209 telescopic	M56		209	109.0	1
SW90-78	78	M60	2-1/4"	78	120.0	1
SW90-128T	128 telescopic	M60	2-1/4"	128	120.0	1
SW90-140	140	M60	2-1/4"	140	120.0	1
SW90-156T	156 telescopic	M60	2-1/4"	156	120.0	1
SW90-182T	182 telescopic	M60	2-1/4"	182	120.0	1
SW90-212T	212 telescopic	M60	2-1/4"	212	120.0	1
SW95-86	86	M64		86	122.0	1
SW95-140T	140 telescopic	M64		140	122.0	1
SW95-143	143	M64		143	122.0	1
SW95-169T	169 telescopic	M64		169	122.0	1
SW95-189T	189 telescopic	M64		189	122.0	1
SW95-219T	219 telescopic	M64		219	122.0	1
SW100-90	90	M68	2-1/2"	90	125.0	1
SW100-144T	144 telescopic	M68	2-1/2"	144	125.0	1
SW100-150T	150 telescopic	M68	2-1/2"	150	125.0	1
SW100-173T	173 telescopic	M68	2-1/2"	173	125.0	1
SW100-193T	193 telescopic	M68	2-1/2"	193	125.0	1
SW100-223T	223 telescopic	M68	2-1/2"	223	125.0	1
SW105-90	90	M72		90	135.0	1
SW105-134	147 telescopic	M72		147	135.0	1
SW105-150	150	M72		150	135.0	1



Telescopic design



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Internal heigth (mm)	M	UNC	a (mm)	b (mm)	MOQ
Design with included protection of DIN/ISO washer possible for all sizes!						
SW105-176T	176 telescopic	M72		176	135.0	1
SW105-204T	204 telescopic	M72		204	135.0	1
SW105-233T	233 telescopic	M72		233	135.0	1
SW105-270T	270 telescopic	M72		270	135.0	1
SW107-95	95	M76	2-3/4"	95	137.0	1
SW107-145T	145 telescopic	M76	2-3/4"	145	137.0	1
SW107-205T	205 telescopic	M76	2-3/4"	205	137.0	1
SW115-97	97	M80		97	152.0	1
SW115-151T	151 telescopic	M80		151	152.0	1
SW115-180	180	M80		151	152.0	1
SW115-211T	211 telescopic	M80		211	152.0	1
SW115-234T	234 telescopic	M80		234	152.0	1
SW115-294T	294 telescopic	M80		294	152.0	1
SW117-100	100	M85	3"	100	155.0	1
SW117-158T	158 telescopic	M85	3"	158	155.0	1
SW117-220T	220 telescopic	M85	3"	158	155.0	1
SW130-100	100	M90	3-1/4"	100	173.0	1
SW130-166T	166 telescopic	M90	3-1/4"	166	173.0	1
SW130-223T	223 telescopic	M90	3-1/4"	223	173.0	1
SW...-....	On request...					
RAL colour??	On request...					



Telescopic design



P.O. box 200
NL-5750AE, Deurne

Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps TYPE SW-R

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopic stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

TYPE with protection of WASHER!

Types with washer-protection on almost all sizes possible

SWxxR

In all sizes

Info via: info@juisma.eu / Tel. +(0)493 31 89 39 / Fax +(0)493 31 89 40



Washers according to DIN ISO 7089—7091 (DIN 125/126)

The Ultimate Finish, Anti-Corrosion, Personal Protection and Anti-Vandalism

Anti Corrosion FHT2-GREASE

High quality anti-corrosion grease for longlasting protection!

Supplied in packs per 900g



Telescopic type



10



P.O. box 200
NL-5750AE, Deurne

Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu