



BoltRex - RS Bolt, Nut and Stud Caps with Washer protection SWR

- Profesional finish, Anti-corrosion (no capillary penetration), Personal protection and Anti-vandalism
- For Nut or Bolt head with **Washer** in accordance with **DIN ISO 7089—7091 (DIN125/125)**
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Total internal heigth (mm)	M	UNC	H1 (mm)	H2 (mm)	Washer heigth (mm)	Washer OD (mm)
SW7R-5	5	M4			5	0.8	9.0
SW8R-6	6	M5			6	1.0	10.0
SW10R-7	7	M6			7	1.6	12.0
SW10R-13	13	M6			13	1.6	12.0
SW10R-18	18	M6			18	1.6	12.0
SW11R-13	13				13	1.4	14.7
SW13R-10	10	M8	1/4"		10	1.6	16.0
SW13R-14	14	M8	1/4"		14	1.6	16.0
SW13R-19	19	M8	1/4"		19	1.6	16.0
SW13R-29	29	M8	1/4"		29	1.6	16.0
SW17R-12	12	M10	3/8"		12	2.0	20.0
SW17R-17	17	M10	3/8"		17	2.0	20.0
SW17R-47	47	M10	3/8"		47	2.0	20.0
SW19R-15	15	M12	7/16"		15	2.5	40.0
SW19R-20	20	M12	7/16"		20	2.5	40.0
SW19R-25	25	M12	7/16"		25	2.5	40.0
SW19R-40	40	M12	7/16"		40	2.5	40.0
SW22R-22	22	M14	1/2"		22	2.5	28.0
SW22R-37	37	M14	1/2"		37	2.5	28.0
SW22R-48T	48 telescopic	M14	1/2"	15	37	2.5	28.0
SW22R-53T	53 telescopic	M14	1/2"	20	37	2.5	28.0
SW22R-57T	57 telescopic	M14	1/2"	24	37	2.5	28.0
SW24R-19	19	M16	9/16"		19	3.0	30.0
SW24R-24	24	M16	9/16"		24	3.0	30.0



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps with Washer protection SWR

- Profesional finish, Anti-corrosion (no capillary penetration), Personal protection and Anti-vandalism
- For Nut or Bolt head with **Washer** in accordance with **DIN ISO 7089—7091 (DIN125/125)**
- Materiaal: High Quality Polyethylen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Total internal heigth (mm)	M	UNC	H1 (mm)	H2 (mm)	Washer heigth (mm)	Washer OD (mm)
SW24R-29	29	M16	9/16"		29	3.0	30.0
SW24R-34	34	M16	9/16"		34	3.0	30.0
SW24R-54	54	M16	9/16"		54	3.0	30.0
SW24R-69	69	M16	9/16"		69	3.0	30.0
SW24R-73T	73 telescopic	M16	9/16"	24	54	3.0	30.0
SW24R-85T	85 telescopic	M16	9/16"	20	69	3.0	30.0
SW24R-89T	89 telescopic	M16	9/16"	24	69	3.0	30.0
SW27R-26	26	M18	5/8"		44	3.0	34.0
SW27R-44T	44 telescopic	M18	5/8"	22	26	3.0	34.0
SW27R-49T	49 telescopic	M18	5/8"	27	26	3.0	34.0
SW27R-72T	72 telescopic	M18	5/8"	50	26	3.0	34.0
SW30R-25	25	M20			25	3.0	37.0
SW30R-30	30	M20			30	3.0	37.0
SW30R-37	37	M20			37	3.0	37.0
SW30R-40	40	M20			40	3.0	37.0
SW30R-52	52	M20			52	3.0	37.0
SW30R-70T	70 telescopic	M20		35	37	3.0	37.0
SW30R-82	82	M20			82	3.0	37.0
SW30R-95T	95 telescopic	M20		64	37	3.0	37.0
SW30R-102T	102 telescopic	M20		24	82	3.0	37.0
SW30R-112T	112 telescopic	M20		35	82	3.0	37.0
SW30R-115T	115 telescopic	M20		64	52	3.0	37.0
SW32R-40	40	M22	3/4"		40	3.0	39.0
SW32R-73T	73 telescopic	M22	3/4"	35	40	3.0	39.0



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps with Washer protection SWR

- Profesional finish, Anti-corrosion (no capillary penetration), Personal protection and Anti-vandalism
- For Nut or Bolt head with **Washer** in accordance with **DIN ISO 7089—7091 (DIN125/125)**
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Total internal height (mm)	M	UNC	H1 (mm)	H2 (mm)	Washer height (mm)	Washer OD (mm)
SW32R-98T	98 telescopic	M22	3/4"	64	40	3.0	39.0
SW36R-32	32	M24	7/8"		32	4.0	44.0
SW36R-42	42	M24	7/8"		42	4.0	44.0
SW36R-56	56	M24	7/8"		56	4.0	44.0
SW36R-77	77	M24	7/8"		77	4.0	44.0
SW36R-83T	83 telescopic	M24	7/8"	31	56	4.0	44.0
SW36R-102T	102 telescopic	M24	7/8"	31	77	4.0	44.0
SW36R-103T	103 telescopic	M24	7/8"	51	56	4.0	44.0
SW36R-120	120	M24	7/8"		120	4.0	44.0
SW36R-121T	121 telescopic	M24	7/8"	51	77	4.0	44.0
SW36R-138T	138 telescopic	M24	7/8"	69	77	4.0	44.0
SW41R-35	35	M27	1"		35	4.0	50.0
SW41R-45	45	M27	1"		45	4.0	50.0
SW41R-70T	70 telescopic	M27	1"	30	45	4.0	50.0
SW41R-80	80	M27	1"		80	4.0	50.0
SW41R-105T	105 telescopic	M27	1"	30	80	4.0	50.0
SW46R-38	38	M30	1.1/8"		38	4.0	56.0
SW46R-53	53	M30	1.1/8"		53	4.0	56.0
SW46R-83	83	M30	1.1/8"		83	4.0	56.0
SW46R-87T	87 telescopic	M30	1.1/8"	39	53	4.0	56.0
SW46R-96T	96 telescopic	M30	1.1/8"	47	53	4.0	56.0
SW46R-115T	115 telescopic	M30	1.1/8"	39	83	4.0	56.0
SW46R-124T	124 telescopic	M30	1.1/8"	47	83	4.0	56.0
SW46R-155T	155 telescopic	M30	1.1/8"	79	83	4.0	56.0



P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps with Washer protection SWR

- Profesional finish, Anti-corrosion (no capillary penetration), Personal protection and Anti-vandalism
- For Nut or Bolt head with **Washer** in accordance with **DIN ISO 7089—7091 (DIN125/125)**
- Materiaal: High Quality Polyethylen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Total internal height (mm)	M	UNC	H1 (mm)	H2 (mm)	Washer height (mm)	Washer OD (mm)
SW50R-41	41	M33	1.1/4"		41	5.0	60.0
SW50R-56	56	M33	1.1/4"		56	5.0	60.0
SW50R-86	86	M33	1.1/4"		86	5.0	60.0
SW50R-88T	88 telescopic	M33	1.1/4"	37	56	5.0	60.0
SW50R-116T	116 telescopic	M33	1.1/4"	37	86	5.0	60.0
SW50R-195T	195 telescopic	M33	1.1/4"	120	86	5.0	60.0
SW55R-60	60	M36	1.3/8"		60	5.0	66.0
SW55R-90	90	M36	1.3/8"		90	5.0	66.0
SW55R-97T	97 telescopic	M36	1.3/8"	43	60	5.0	66.0
SW55R-125T	125 telescopic	M36	1.3/8"	43	90	5.0	66.0
SW55R-126T	126 telescopic	M36	1.3/8"	73	60	5.0	66.0
SW55R-154T	154 telescopic	M36	1.3/8"	73	90	5.0	66.0
SW55R-160	160	M36	1.3/8"		160	5.0	66.0
SW55R-200T	200 telescopic	M36	1.3/8"	52	160	5.0	66.0
SW55R-221T	221 telescopic	M36	1.3/8"	73	160	5.0	66.0
SW60R-63	63	M39	1.1/2"		63	6.0	72.0
SW60R-93	93	M39	1.1/2"		93	6.0	72.0
SW60R-130T	130 telescopic	M39	1.1/2"	76	63	6.0	72.0
SW60R-160T	160 telescopic	M39	1.1/2"	76	93	6.0	72.0
SW70R-70	70	M45	1.3/4"		70	7.0	88.0
SW70R-100	100	M45	1.3/4"		100	7.0	88.0
SW70R-112T	112 telescopic	M45	1.3/4"	79	70	7.0	88.0
SW70R-140	140	M45	1.3/4"		140	7.0	88.0
SW70R-141T	141 telescopic	M45	1.3/4"	79	70	7.0	88.0



Juisma SP
plastic protection & fixing specialists

P.O. box 200
NL-5750AE, Deurne




Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps with Washer protection SWR

- Profesional finish, Anti-corrosion (no capillary penetration), Personal protection and Anti-vandalism
- For Nut or Bolt head with **Washer** in accordance with **DIN ISO 7089—7091 (DIN125/125)**
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Total internal heigth (mm)	M	UNC	H1 (mm)	H2 (mm)	Washer heigth (mm)	Washer OD (mm)
SW70R-142T	142 telescopic	M45	1.3/4"	49	100	7.0	88.0
SW70R-171T	171 telescopic	M45	1.3/4"	79	100	7.0	88.0
SW70R-182T	182 telescopic	M45	1.3/4"	49	140	7.0	88.0
SW70R-211T	211 telescopic	M45	1.3/4"	79	140	7.0	88.0
SW75R-74	74	M48	1.7/8"		74	8.0	92.0
SW75R-103	103	M48	1.7/8"		103	8.0	92.0
SW75R-116	116	M48	1.7/8"		116	8.0	92.0
SW75R-116T	116 telescopic	M48	1.7/8"	49	74	8.0	92.0
SW75R-143T	143 telescopic	M48	1.7/8"	49	103	8.0	92.0
SW75R-145T	145 telescopic	M48	1.7/8"	79	74	8.0	92.0
SW75R-172T	172 telescopic	M48	1.7/8"	79	103	8.0	92.0
SW80R-139	139	M52	2"		139	8.0	98.0
SW80R-175T	175 telescopic	M52	2"	51	139	8.0	98.0
SW80R-205T	205 telescopic	M52	2"	81	39	8.0	98.0
SW85R-83	83	M56			83	9.0	105.0
SW85R-130T	130 telescopic	M56		55	83	9.0	105.0
SW85R-158T	158 telescopic	M56		85	83	9.0	105.0
SW90R-83	83	M60	2.1/4"		83	9.0	110.0
SW90R-125T	125 telescopic	M60	2.1/4"	57	83	9.0	110.0
SW90R-155T	155 telescopic	M60	2.1/4"	87	83	9.0	110.0
SW95R-140	140	M64			140	9.0	115.0
SW95R-181T	181 telescopic	M64		61	140	9.0	115.0
SW95R-211T	211 telescopic	M64		91	140	9.0	115.0
SW100R-150	150	M68	2.1/2"		150	10.0	120.0



P.O. box 200
NL-5750AE, Deurne



Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS Bolt, Nut and Stud Caps with Washer protection SWR

- Profesional finish, Anti-corrosion (no capillary penetration), Personal protection and Anti-vandalism
- For Nut or Bolt head with **Washer** in accordance with **DIN ISO 7089—7091 (DIN125/125)**
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

Partno.	Total internal heigth (mm)	M	UNC	H1 (mm)	H2 (mm)	Washer heigth (mm)	Washer OD (mm)
SW100R-193T	193 telescopic	M68	2.1/2"	63	150	10.0	120.0
SW100R-223T	223 telescopic	M68	2.1/2"	93	150	10.0	120.0
SW105R-160	160	M72			160	10.0	125.0
SW105R-206T	206 telescopic	M72		66	160	10.0	125.0
SW105R-236T	236 telescopic	M72		96	160	10.0	125.0
SW107R-105	105	M76	2.3/4"		105	11.0	137.0
SW107R-156T	156 telescopic	M76	2.3/4"	70	105	11.0	137.0
SW107R-226T	226 telescopic	M76	2.3/4"	130	105	11.0	137.0
SW117R-115	115	M85	3"		115	15.0	149.0
SW117R-173T	173 telescopic	M85	3"	78	115	15.0	149.0
SW117R-235T	235 telescopic	M85	3"	140	115	15.0	149.0
SW130R-125	125	M90	3.1/4"		125	15.0	159.0
SW130R-181T	181 telescopic	M90	3.1/4"	86	125	15.0	159.0
SW130R-238T	238 telescopic	M90	3.1/4"	143	125	15.0	159.0
Next to the standard sizes we can produce any other size you like. Please send a request through email, phone or fax...							
Other materials possible on standard protection caps: PA—PP—TEEE—ETFE							
Standard colour is black (RAL 9005) but any RAL colour is possible on any quantity							
Extra protection by special grease: AC-FHT2 long time anti corrosion (sea-water)							



P.O. box 200
NL-5750AE, Deurne

Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu

BoltRex - RS & RT Bolt, Nut, Washer and Stud Caps type SW

- Profesional finish, Anti-corrosion, Personal protection and Anti-vandalism
- Exellent protection against capillary moisture penetration
- Materiaal: High Quality Polyethyleen (LD-PE) with additive for UV & OZON resistance > 20 years
- Standard colour black—All RAL colours possible
- Metric sizes from M5 to M90 (UNC ¼" to UNC 3¼") in various hights
- Types with protection of washers and telescopical stud protection
- Specials with fixing on to studs instead fo nuts possible, just ask us and we'll find the solution

TYPE with protection of WASHER!

Protection on almost all sizes possible

SWxxxxx

BOLTREX RS RT in all sizes

Info via: info@juisma.eu / Tel. +(0)493 31 89 39 / Fax +(0)493 31 89 40



Perfect protection and Finisch!

The Ultimate Finish, Anti-Corrosion, Personal Protection and Anti-Vandalism

Anti Corrosion FHT2-GREASE

High quality anti-corrosion grease for longlasting protection!

Supplied in packs per 900g



P.O. box 200
NL-5750AE, Deurne

Tel: +31-(0)493 31 89 39
Fax: +31-(0)493 31 89 40

info@juisma.eu
www.juisma.eu