

## Prorex PC - Pipe Caps / Pipe-end Caps—all sizes

Standard colour clear / black / yellow (depening on size)

Material: high quality LD-PE

Pipecpas in the full range of **4mm to 1625,6mm and 1/8" to 64"**

Other colours possible on request

Perfect fix for protection during storage, transport and against dirt, animals etc.

Can be used after cementing (to increase dry-time)

Other quantities possible on request

| Partnumber | Inner-size $\varnothing$<br>in mm | Inner<br>height | ANSI | Packsizes |
|------------|-----------------------------------|-----------------|------|-----------|
| PC4        | 4                                 | 22              |      | 5.000     |
| PC5        | 5                                 | 18              |      | 5.000     |
| PC6        | 6                                 | 18              |      | 5.000     |
| PC6,2(6,4) | 6,2                               | 22              |      | 5.000     |
| PC6,35     | 6,35                              |                 |      | 5.000     |
| PC7        | 7                                 | 18              |      | 5.000     |
| PC8        | 8                                 | 17              |      | 5.000     |
| PC9        | 9                                 | 18              |      | 5.000     |
| PC9,6      | 9,6                               | 14              |      | 5.000     |
| PC10       | 10 (10,2)                         | 18              | 1/8" | 10.000    |
| PC11       | 11                                | 19              |      | 5.000     |
| PC11,5     | 11,5                              |                 |      | 5.000     |
| PC12       | 12                                | 18              |      | 5.000     |
| PC12,7     | 12,7                              | 14              |      | 7.000     |
| PC13       | 13                                | 18              |      | 7.000     |
| PC13,7     | 13,7                              | 18              | 1/4" | 7.000     |
| PC14       | 14                                | 18              |      | 5.000     |
| PC15       | 15                                | 18              |      | 6.000     |
| PC15,5     | 15,5                              |                 |      | 5.000     |
| PC16       | 16                                | 18              |      | 6.000     |
| PC17,2     | 17,2                              | 18              |      | 4.000     |
| PC18       | 18                                | 18              |      | 4.000     |
| PC18,5     | 18,5                              |                 |      | 5.000     |
| PC19       | 19                                | 18              |      | 4.000     |
| PC20       | 20                                | 18              |      | 4.000     |
| PC21,3     | 21,3                              | 18              | 1/2" | 3.200     |
| PC22       | 22                                | 18              |      | 3.200     |
| PC23,2     | 23,2                              | 17              |      | 3.000     |
| PC24       | 24                                | 18              |      | 3.000     |
| PC24,8     | 24,8                              |                 |      | 5.000     |
| PC25       | 25                                | 17              |      | 5.000     |
| PC25,4     | 25,4                              | 17              |      | 5.000     |
| PC26       | 26                                | 17              |      | 5.000     |
| PC26,9     | 26,9                              | 27              | 3/4" | 3.000     |
| PC28       | 28                                | 20              |      | 2.500     |
| PC29       | 29                                |                 |      | 4.000     |
| PC30       | 30                                | 27              |      | 2.000     |



## Prorex PC - Pipe Caps / Pipe-end Caps—all sizes

Standard colour clear / black / yellow (depening on size)

Material: high quality LD-PE

Pipecpas in the full range of **4mm to 1625,6mm and 1/8" to 64"**

Other colours possible on request

Perfect fix for protection during storage, transport and against dirt, animals etc.

Can be used after cementing (to increase dry-time)

Other quantities possible on request

| Partnumber  | Inner-size Ø<br>in mm | Inner<br>height | ANSI   | Packsize |
|-------------|-----------------------|-----------------|--------|----------|
| PC30        | 30                    | 27              |        | 2.000    |
| PC32 (31,8) | 31,8                  | 23              |        | 2.500    |
| PC33,7      | 33,7                  | 24              | 1"     | 2.200    |
| PC35        | 35                    | 28              |        | 1.800    |
| PC36,5      | 36,5                  |                 |        | 2.500    |
| PC38        | 38                    | 27              |        | 1.500    |
| PC39        | 39                    | 17              |        | 2.000    |
| PC40        | 40                    | 20              |        | 2.000    |
| PC41,3      | 41,3                  |                 |        | 1.000    |
| PC41,5      | 41,5                  | 25              |        | 1.500    |
| PC42,4      | 42,4                  | 26              | 1 1/4" | 1.250    |
| PC44,5      | 44,5                  | 27              |        | 1.250    |
| PC45,4      | 45,4                  | 20              |        | 1.250    |
| PC47,5      | 47,5                  |                 |        | 1.000    |
| PC48,3      | 48,3                  | 30              | 1 1/2" | 800      |
| PC50        | 50                    | 30              |        | 800      |
| PC50,8 (51) | 50,8                  | 30              |        | 800      |
| PC51        | 51                    |                 |        | 1.000    |
| PC52        | 52                    |                 |        | 800      |
| PC52,8 (53) | 52,8                  | 28              |        | 800      |
| PC54        | 54                    | 30              | 1 3/4" | 750      |
| PC55        | 55                    | 30              |        | 750      |
| PC57        | 57                    | 28              |        | 750      |
| PC59        | 59                    | 28              |        | 750      |
| PC60,3      | 60,3                  | 30              | 2"     | 600      |
| PC63,5      | 63,5                  | 32              |        | 600      |
| PC64        | 64                    | 32              |        | 600      |
| PC65        | 65                    | 35              |        | 500      |
| PC67        | 67                    | 35              |        | 500      |



## Prorex PC - Pipe Caps / Pipe-end Caps—all sizes

Standard colour clear / black / yellow (depening on size)

Material: high quality LD-PE

Pipecpas in the full range of **4mm to 1625,6mm and 1/8" to 64"**

Other colours possible on request

Perfect fix for protection during storage, transport and against dirt, animals etc.

Can be used after cementing (to increase dry-time)

Other quantities possible on request

| Partnumber  | Inner-size $\varnothing$<br>in mm | Inner<br>height | ANSI   | Packsize |
|-------------|-----------------------------------|-----------------|--------|----------|
| PC70        | 70                                | 30              |        | 500      |
| PC73        | 73                                | 36              |        | 350      |
| PC75        | 75                                | 36              |        | 350      |
| PC76,1      | 76,1                              | 36              | 2 1/2" | 350      |
| PC77        | 77                                | 36              |        | 350      |
| PC78        | 78                                | 36              |        | 350      |
| PC78,05     | 78,05                             | 25              |        | 500      |
| PC80 (79,4) | 80 (79,4)                         | 30              |        | 500      |
| PC81        | 81                                | 30              |        | 350      |
| PC82        | 82                                | 30              |        | 350      |
| PC85        | 85                                | 32              |        | 350      |
| PC88,9      | 88,9                              | 40              | 3"     | 300      |
| PC90        | 90                                | 25              |        | 300      |
| PC92,4      | 92,4                              | 25              |        | 350      |
| PC95        | 95                                | 33              |        | 300      |
| PC98        | 98                                |                 |        | 350      |
| PC100       | 100                               |                 |        | 350      |
| PC101,6     | 101,6                             | 40              | 3 1/2" | 200      |
| PC103       | 103                               | 40              |        | 175      |
| PC105       | 105                               | 40              |        | 200      |
| PC106       | 106                               | 40              |        | 175      |
| PC108       | 108                               | 40              |        | 175      |
| PC110       | 110                               | 40              |        | 175      |
| PC114,3     | 114,3                             | 40              | 4"     | 175      |
| PC116,3     | 116,3                             |                 |        | 200      |
| PC117,5     | 117,5                             | 40              |        | 150      |
| PC121       | 121                               | 36              |        | 150      |
| PC125 (126) | 125                               | 37              |        | 150      |
| PC127       | 127                               | 40              | 4 1/2" | 140      |
| PC130       | 130                               | 40              |        | 130      |
| PC133       | 133                               | 40              |        | 125      |



## Prorex PC - Pipe Caps / Pipe-end Caps—all sizes

Standard colour clear / black / yellow (depening on size)

Material: high quality LD-PE

Pipecpas in the full range of **4mm to 1625,6mm and 1/8" to 64"**

Other colours possible on request

Perfect fix for protection during storage, transport and against dirt, animals etc.

Can be used after cementing (to increase dry-time)

Other quantities possible on request

| Partnumber | Inner-size Ø<br>in mm | Inner height | ANSI   | Packsize |
|------------|-----------------------|--------------|--------|----------|
| PC136      | 136                   | 30           |        | 150      |
| PC138      | 138                   |              |        | 250      |
| PC139,7    | 139,7                 | 40           | 5"     | 110      |
| PC141,3    | 141,3                 | 40           |        | 110      |
| PC146      | 146                   | 40           |        | 100      |
| PC148      | 148                   |              |        | 125      |
| PC149      | 149                   | 40           |        | 100      |
| PC152,4    | 152,4                 | 40           | 5 1/2" | 100      |
| PC156      | 156                   | 40           |        | 80       |
| PC159(160) | 159                   | 40           |        | 100      |
| PC160      | 160                   |              |        | 100      |
| PC165      | 165                   |              |        | 180      |
| PC165,1    | 165,1                 | 40           |        | 90       |
| PC168,3    | 168,3                 | 40           | 6"     | 90       |
| PC170      | 170                   |              |        | 100      |
| PC176      | 176                   | 40           |        | 80       |
| PC177,8    | 177,8                 | 42           |        | 80       |
| PC180      | 180                   | 40           |        | 75       |
| PC185      | 185                   | 40           |        | 75       |
| PC190      | 190                   |              |        | 75       |
| PC193,7    | 193,7                 | 40           |        | 65       |
| PC200      | 200                   |              |        | 70       |
| PC210      | 210                   |              |        | 120      |
| PC219,1    | 219,1                 | 40           | 8"     | 70       |
| PC225      | 225                   |              |        | 80       |
| PC232      | 232                   | 40           |        | 60       |



## Prorex PC - Pipe Caps / Pipe-end Caps—all sizes

Standard colour clear / black / yellow (depening on size)

Material: high quality LD-PE

Pipecpas in the full range of **4mm to 1625,6mm and 1/8" to 64"**

Other colours possible on request

Perfect fix for protection during storage, transport and against dirt, animals etc.

Can be used after cementing (to increase dry-time)

Other quantities possible on request

| Partnumber | Inner-size Ø<br>in mm | Inner<br>height | ANSI    | Packsize |
|------------|-----------------------|-----------------|---------|----------|
| PC242      | 242                   |                 | 9 1/2"  | 50       |
| PC244,5    | 244,5                 | 44              |         | 50       |
| PC245      | 245                   |                 |         | 50       |
| PC250      | 250                   |                 |         | 40       |
| PC267      | 267                   | 40              |         | 45       |
| PC273      | 273                   | 40              | 10"     | 45       |
| PC323,9    | 323,9                 | 47              | 12"     | 25       |
| PC355,6    | 355,6                 | 56              | 14"     | 27       |
| PC366      | 366                   |                 |         | 40       |
| PC368      | 368                   | 55              |         | 25       |
| PC400      | 400                   |                 |         | 25       |
| PC406,4    | 406,4                 | 62              | 16"     | 25       |
| PC419,1    | 419,1                 | 60              | 16 1/2" | 25       |
| PC450      | 450                   |                 |         | 32       |
| PC457,2    | 457,2                 | 62              | 18"     | 32       |
| PC508      | 508                   | 67              | 20"     | 20       |
| PC558      | 558                   | 60              |         | 22       |
| PC558,8    | 558,8                 |                 | 22"     | 22       |
| PC609,6    | 609,6                 | 62              | 24"     | 20       |
| PC660,4    | 660,4                 |                 | 26"     | 10       |
| PC711,2    | 711,2                 |                 | 28"     | 20       |
| PC762      | 762                   |                 | 30"     | 20       |



## Prorex PC - Pipe Caps / Pipe-end Caps—all sizes

Standard colour clear / black / yellow (depening on size)

Material: high quality LD-PE

Pipecpas in the full range of 4mm to 1625,6mm and 1/8" to 64"

Other colours possible on request

Perfect fix for protection during storage, transport and against dirt, animals etc.

Can be used after cementing (to increase dry-time)

Other quantities possible on request

| Partnumber | Inner-size Ø<br>in mm | Inner<br>height | ANSI | Packsize |
|------------|-----------------------|-----------------|------|----------|
| PC812,8    | 812,8                 |                 | 32"  | 20       |
| PC863,6    | 863,6                 |                 | 34"  | 16       |
| PC914,4    | 914,4                 |                 | 36"  | 16       |
| PC965,2    | 965,2                 |                 | 38"  | 8        |
| PC1016     | 1016                  |                 | 40"  | 8        |
| PC1066,8   | 1066,8                |                 | 42"  | 6        |
| PC1117,6   | 1117,6                |                 | 44"  | 6        |
| PC1219,2   | 1219,2                |                 | 48"  | 6        |
| PC1422,4   | 1422,4                |                 | 56"  | 4        |
| PC1524     | 1524                  |                 | 60"  | 4        |
| PC1625,6   | 1625,6                |                 | 64"  | 4        |



For any specific questions, sizes, projects or technical questions we can meet you on location to answer all questions you might have and explain all details of our quation. Call us for an appointment

